




Add collection

 We expect you to ensure that this information can be shared in the public domain.

Disease status 	<input type="text"/>
Title	<input type="text"/>
Description	<input type="text"/>
Year started	<input type="text"/>
Year finished	<input type="text"/>
HTA status 	<input type="radio"/> Finished before the Human Tissue Acts <input type="radio"/> Begun before the Human Tissue Acts <input type="radio"/> Begun after the Human Tissue Acts <input type="radio"/> Not applicable
Access condition	<input type="radio"/> Open to applicants <input type="radio"/> Open in response to specific calls <input type="radio"/> Open only through collaboration <input type="radio"/> Data access only <input type="radio"/> Access restricted at present <input type="radio"/> Closed to access
Collection type	<input type="radio"/> Disease specific <input type="radio"/> Birth cohort <input type="radio"/> Case-control <input type="radio"/> Cohort <input type="radio"/> Cross-sectional <input type="radio"/> Longitudinal <input type="radio"/> Population-based <input type="radio"/> Quality control <input type="radio"/> Twin-study
Collection status	<input type="radio"/> Not-started <input type="radio"/> In progress <input type="radio"/> Completed
Collection point	<input type="radio"/> Pre-diagnosis <input type="radio"/> During diagnosis <input type="radio"/> Post-diagnosis <input type="radio"/> Multiple points in patient pathway
Consent restriction	<input type="checkbox"/> Commercial restriction <input type="checkbox"/> DNA restriction

Outside EU access

Xenograft

Associated data

Data type	Provision time (months)			
Quality Data				
<input type="checkbox"/> Quality indicators	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Cold ischemic time	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Warm ischemic time	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Freezer temperature logs	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
Research Data				
<input type="checkbox"/> Biomarker datasets	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Genomic datasets	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
Annotation Data				
<input type="checkbox"/> Clinical records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Followup records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Genealogical records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Imaging data	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> National registries	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Pathology records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Physiological/biochemical measurements	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Primary care records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Psychological data	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Survey data	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6
<input type="checkbox"/> Treatment records	<input type="radio"/> Immediately	<input type="radio"/> 0 - 3	<input type="radio"/> 3 - 6	<input type="radio"/> > 6

Cancel

Create collection

If you can't access any of this data don't select anything

Search Tips

- Full list of terms - When searching you need to use an exact term, therefore, start typing and select one of the options that appear.
- Cancer? Then start typing Malignant and select one of the options
- Always select one of the suggested terms, otherwise nothing will be found
- Didn't find what you are looking for, then contact us at [and let us know](#)

Add sample set

- Gender**
- Male
 - Female
 - Transgender (M-F)
 - Transgender (F-M)
 - Data not recorded

- Age range**
- Fetus
 - Neonate (0 - 1 month)
 - Infant (1 month - 2 years)
 - Young child (2 - 6 years)
 - Child (6 - 12 years)
 - Adolescent (12 - 18 years)
 - Young adult (18 - 40 years)
 - Adult (> 40 years)
 - Data not recorded

Number of donors 1 - 10

Material preservation details

Add details

i There are no material preservation details in this sample set yet. [Add material preservation details now.](#)

Cancel

Create sample set

Add material preservation detail

Material type

- cDNA/mRNA
- Core biopsy
- Embryo
- microRNA
- Peripheral blood cells
- PM tissue
- Saliva
- Tissue
- Whole blood
- Cell lines
- DNA
- Faeces
- Pathogen
- Plasma
- RNA
- Serum
- Urine

Preservation type

- Room temperature
- 2 °C to 10 °C
- 18 °C to -35 °C
- 60 °C to -85 °C
- Liquid nitrogen
- Paraffin

Percentage

0 - 10%

Macroscopic assessment

- Affected
- Non-affected
- Not applicable

Cancel

Add